ELSEVIER

Volume 190, Issues 1–3, 23 July 2007

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Review Article

On process parameter estimation for the tube hydroforming process 1
M. Jansson, L. Nilsson, K. Simonsson

Regular Articles

Effects of potable water filtration sludge on the rheological behaviour of one-coat plastering mortars 12
F. Raupp-Pereira, L. Silva, A.M. Segadães, H. Paiva, J.A. Labrincha

Estimation of cutting forces in micromilling through the determination of specific cutting pressures 18
H. Pérez, A. Vizán, J.C. Hernandez, M. Guzmán

A local approach to simulating bar forming in pass rolling 23
V. Solod, R. Kulagin, Y. Beygelzimer

Thermal stress analysis of HVOF sprayed WC–Co/NiAl multilayer coatings on stainless steel substrate using finite element methods. . . . 26
M. Toparli, F. Sen, O. Culha, E. Celik

Buckling and wrinkling during strip conveying in processing lines 33
N. Jacques, A. Elias, M. Potier-Ferry, H. Zahrouni

Agile manufacturing of a micro-embossed case by a two-step electromagnetic forming process 41
M. Kamal, J. Shang, V. Cheng, S. Hatkevich, G.S. Daehn

Process repeatability in abrasive jet micro-machining 51
A. Ghobeity, H. Getu, T. Krajac, J.K. Spelt, M. Papini

Surfactant-assisted de-agglomeration of graphite nanoparticles by wet ball mixing 61
C.-N. Chen, Y.-L. Chen, W.J. Tseng

Study on clamping method for paper honeycomb based on magnetic field and friction principle 65
G. Liu, Y.-L. Ke

Influences of pulsed power condition on the machining properties in micro EDM 73
S. Son, H. Lim, A.S. Kumar, M. Rahman

Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites 77
G.-h. Chen, X.-y. Liu

Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons 81
K. Tokaji, T. Horie, Y. Enomoto

Study on the dynamic characteristics of the low-stress vibration cropping machine 89
Z. Wang, S. Zhao, Y. Yu

Microstructural characterizations and mechanical behavior of polyurethane elastomers strengthened with milled fiberglass 96
H. Zhang, W. Li, X. Yang, Y. Zhang, Y. Chen

Effects of laser beam energy and incident angle on the pulse laser welding of stainless steel thin sheet 102
Y.-C. Liao, M.-H. Yu

A comparative study of the residual deformation of an automotive gear-case assembly due to deep-penetration high-energy welding . . . 109
Z. Linjie, Z. Jianxun, H. Kalaoui, H. Li, Y. Wang

Oxidation behavior of ceramic coatings on Ti–6Al–4V by micro-plasma oxidation 117
Z. Yao, Z. Jiang, F. Wang, G. Hao

Prediction of hardness for sintered HSS components using response surface method 123
D. Chatterjee, B. Oraon, G. Sutradhar, P.K. Bose

Elsevier B.V.

Use of Taguchi method to study a robust design for the sectioned beams curvature during rolling 130
D.-C. Chen, C.-F. Chen

The interface morphology of diffusion bonded dissimilar stainless steel and medium carbon steel couples 138
B. Kurt

Effect of smart stiffening procedure on low-velocity impact response of smart structures 142
S.M.R. Khalili, A. Shokuhfar, F.A. Ghasemi

Effect of Cu^{2+} on the magnetic properties and reducibility of Fe_2TiO_5 153
M.H. Khedr, M. Bahgat, M. Radwan, H.S. Abdelmaksoud

A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool 160
D.K. Sarma, U.S. Dixit

A comparative study of surface integrity of Ti–6Al–4V alloy machined by EDM and AECG 173
A. Hasçalık, U. Çaydaş

An ultrasonic elliptical vibration cutting device for micro V-groove machining: Kinematical analysis and micro V-groove machining characteristics 181
G.D. Kim, B.G. Loh

Simulation of springback variation in forming of advanced high strength steels 189
P. Chen, M. Koç

Modeling of cutting forces as function of cutting parameters for face milling of satellite 6 using an artificial neural network 199
Ş. Aykut, M. Gölcü, S. Semiz, H.S. Ergür

Wear behaviour of thermal flame sprayed FeCr coatings on plain carbon steel substrate 204
B. Uyulgan, E. Dokumaci, E. Celik, I. Kayatekin, N.F. Ak Azem, I. Ozdemir, M. Toparli

Abrasive particle wear behaviors of several die steels with non-smooth surfaces 211
L. Chen, H. Zhou, Y. Zhao, L.Q. Ren, X.Z. Li

Hydrothermal synthesis of CeO_2 nano-particles 217
A.I.Y. Tok, F.Y.C. Boey, Z. Dong, X.L. Sun

Microwave hybrid fast sintering of porcelain bodies 223
R.R. Menezes, P.M. Souto, R.H.G.A. Kiminami

Determination of optimal loading profiles in warm hydroforming of lightweight materials 230
H. Choi, M. Koç, J. Ni

Investigations in the compaction and sintering of large ceramic parts 243
P. Chen, G.-Y. Kim, J. Ni

Analysis of an equivalent tool face for the cutting speed range prediction of complex grooved tools 251
L. Deshayes

Non-linear elastic stresses in a thin hard coating/an elastic substrate system subjected to a surface pressure distribution 263
M.K. Apalak, A. Tasdemirci

Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF) 282
A.M. Wani, V. Yadava, A. Khatri

Optimization of weld bead geometry for stainless steel claddings deposited by FCAW 291
P.K. Palani, N. Murugan

Effect of normal anisotropy on springback 300
R.K. Verma, A. Haldar

Predictive machinability models for a selected hard material in turning operations 305
A.M.A. Al-Ahmari

Investigation on reactive diffusion bonding of SiCp/6063 MMC by using mixed powders as interlayers 312
J.-h. Huang, Y.-l. Dong, Y. Wan, X.-k. Zhao, H. Zhang

Modeling of a substrate thermomechanical behavior during plasma spraying 317
F. Hugot, J. Patru, P. Fauchais, L. Bianchi

Effects of microwave assisted heating of carbon nanofiber reinforced high density polyethylene 324
R. Benítez, A. Fuentes, K. Lozano

Prediction of the cutting temperatures of stainless steel with chamfered main cutting edge tools 332
C.-S. Chang

Rolling behaviour of steel backed spray deposited Al–Sn strip 342
M.R. Tripathy, R.K. Dube, S.C. Koria

Powder processing and densification behaviour of alumina–high zirconia nanocomposites using chloride precursors 350
R.P. Rana, S.K. Pratihar, S. Bhattacharyya

Rapid fabrication of C/C/SiC composite by PIP of HMDS 358
J. Zhong, S. Qiao, G. Lu, Y. Zhang, W. Han, D. Jia

A feature based analysis of tube extrusion 363
M. Malpani, S. Kumar

Die design and experiments for shaped extrusion under cold and hot condition 375
S. Kumar, P. Vijay

Finite volume simulation and mould optimization of aluminum profile extrusion 382
Z.Z. Chen, Z.L. Lou, X.Y. Ruan

Short Communication

Influence of heating and solidification conditions on the structure and surface quality of electron-beam melted Ti–6Al–4V ingots 387
H.V. Zhuk, P.A. Kobryn, S.L. Semiatin

Nano-aluminum-phosphate via a polymerized organic–inorganic complex route 393
W. Mekky, P.S. Nicholson

Welding method for fabricating carbon nanotube probe 397
Z.W. Xu, Q.L. Zhao, T. Sun, L.Q. Guo, R. Wang, S. Dong

Synthesis of manganese oxide/carbon nanotube nanocomposites using wet chemical method 402
S.H.S. Zein, L.-C. Yeoh, S.-P. Chai, A.R. Mohamed, M.E.M. Mahayuddin

Author index 406

Subject index 408

ELSEVIER

Journal of Materials Processing Technology 190 (2007) 406–407

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 190

Abdelmaksoud, H.S., 153
Ak Azem, N.F., 204
Al-Ahmari, A.M.A., 305
Apalak, M.K., 263
Aykut, Ş., 199

Bahgat, M., 153
Benítez, R., 324
Beygelzimer, Y., 23
Bhattacharyya, S., 350
Bianchi, L., 317
Boey, F.Y.C., 217
Bose, P.K., 123

Çaydaş, U., 173
Celik, E., 26, 204
Chai, S.-P., 402
Chang, C.-S., 332
Chatterjee, D., 123
Chen, C.-F., 130
Chen, C.-N., 61
Chen, D.-C., 130
Chen, G.-h., 77
Chen, L., 211
Chen, P., 189, 243
Chen, Y., 96
Chen, Y.-L., 61
Chen, Z.Z., 382
Cheng, V., 41
Choi, H., 230
Culha, O., 26

Daehn, G.S., 41
Deshayes, L., 251
Dixit, U.S., 160
Dokumaci, E., 204
Dong, S., 397
Dong, Y.-l., 312
Dong, Z., 217
Dube, R.K., 342

Elias, A., 33
Enomoto, Y., 81
Ergür, H.S., 199

Fauchais, P., 317
Fuentes, A., 324

Getu, H., 51
Ghasemi, F.A., 142
Ghobeity, A., 51
Gölcü, M., 199
Guo, L.Q., 397
Guzmán, M., 18

Haldar, A., 300
Han, W., 358
Hao, G., 117
Hasçalık, A., 173
Hatkevich, S., 41
Hernandez, J.C., 18
Horie, T., 81
Huang, J.-h., 312
Hugot, F., 317

Jacques, N., 33
Jansson, M., 1
Jia, D., 358
Jiang, Z., 117
Jianxun, Z., 109

Kalaoui, H., 109
Kamal, M., 41
Kayatekin, I., 204
Ke, Y.-L., 65
Khalili, S.M.R., 142
Khatri, A., 282
Khedr, M.H., 153
Kim, G.D., 181
Kim, G.-Y., 243
Kiminami, R.H.G.A., 223
Kobryn, P.A., 387
Koç, M., 189, 230
Koria, S.C., 342
Krajac, T., 51
Kulagin, R., 23
Kumar, A.S., 73
Kumar, S., 363, 375
Kurt, B., 138

Labrincha, J.A., 12
Li, H., 109
Li, W., 96
Li, X.Z., 211
Liao, Y.-C., 102
Lim, H., 73
Linjie, Z., 109
Liu, G., 65
Liu, X.-y., 77
Loh, B.G., 181
Lou, Z.L., 382
Lozano, K., 324
Lu, G., 358

Mahayuddin, M.E.M., 402
Malpani, M., 363
Mekky, W., 393
Menezes, R.R., 223
Mohamed, A.R., 402
Murugan, N., 291

Ni, J., 230, 243
Nicholson, P.S., 393
Nilsson, L., 1

Oraon, B., 123
Ozdemir, I., 204

Paiva, H., 12
Palani, P.K., 291
Papini, M., 51
Patru, J., 317
Pérez, H., 18
Potier-Ferry, M., 33
Pratihar, S.K., 350

Qiao, S., 358

Radwan, M., 153
Rahman, M., 73
Rana, R.P., 350
Raupp-Pereira, F., 12
Ren, L.Q., 211
Ruan, X.Y., 382

Sarma, D.K., 160
Segadães, A.M., 12
Semiatin, S.L., 387
Semiz, S., 199
Sen, F., 26
Shang, J., 41
Shokuhfar, A., 142
Silva, L., 12
Simonsson, K., 1
Solod, V., 23
Son, S., 73
Souto, P.M., 223
Spelt, J.K., 51
Sun, T., 397
Sun, X.L., 217
Sutradhar, G., 123

Tasdemirci, A., 263
Tok, A.I.Y., 217
Tokaji, K., 81
Toparli, M., 26, 204
Tripathy, M.R., 342

Elsevier B.V.
doi:10.1016/S0924-0136(07)00490-6

Tseng, W.J., 61

Uyulgan, B., 204

Verma, R.K., 300
Vijay, P., 375
Vizán, A., 18

Wan, Y., 312
Wang, F., 117
Wang, R., 397
Wang, Y., 109
Wang, Z., 89
Wani, A.M., 282

Xu, Z.W., 397

Yadava, V., 282
Yang, X., 96
Yao, Z., 117
Yeoh, L.-C., 402
Yu, M.-H., 102
Yu, Y., 89

Zahrouni, H., 33
Zein, S.H.S., 402
Zhang, H., 96, 312
Zhang, Y., 96, 358
Zhao, Q.L., 397
Zhao, S., 89
Zhao, X.-k., 312
Zhao, Y., 211
Zhong, J., 358
Zhou, H., 211
Zhuk, H.V., 387

ELSEVIER

Journal of Materials Processing Technology 190 (2007) 408–413

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 190

Abrasive jet micro-machining
Process repeatability in abrasive jet micro-machining, 51
Adaptive FEA
Determination of optimal loading profiles in warm hydroforming of lightweight materials, 230
Adaptive process
On process parameter estimation for the tube hydroforming process, 1
Advanced high strength steel
Simulation of springback variation in forming of advanced high strength steels, 189
AECG
A comparative study of surface integrity of Ti–6Al–4V alloy machined by EDM and AECG, 173
Agglomerates
Surfactant-assisted de-agglomeration of graphite nanoparticles by wet ball mixing, 61
Powder processing and densification behaviour of alumina–high zirconia nanocomposites using chloride precursors, 350
Air-cooled turning
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Al alloy profile
Finite volume simulation and mould optimization of aluminum profile extrusion, 382
Al_2O_3–ZrO_2
Powder processing and densification behaviour of alumina–high zirconia nanocomposites using chloride precursors, 350
Aluminium alloys
On process parameter estimation for the tube hydroforming process, 1
Aluminum nitride
Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites, 77
Artificial neural networks
Modeling of cutting forces as function of cutting parameters for face milling of satellite 6 using an artificial neural network, 199
Finite volume simulation and mould optimization of aluminum profile extrusion, 382
Atomic force microscopy
Welding method for fabricating carbon nanotube probe, 397
Austenitic stainless steel
The interface morphology of diffusion bonded dissimilar stainless steel and medium carbon steel couples, 138
Automotive differential
A comparative study of the residual deformation of an automotive gear-case assembly due to deep-penetration high-energy welding, 109

Bar rolling
A local approach to simulating bar forming in pass rolling, 23
Bending strength
Powder processing and densification behaviour of alumina–high zirconia nanocomposites using chloride precursors, 350
Burr
An ultrasonic elliptical vibration cutting device for micro V-groove machining: Kinematical analysis and micro V-groove machining characteristics, 181

C/C/SiC
Rapid fabrication of C/C/SiC composite by PIP of HMDS, 358
Calculation error
Study on the dynamic characteristics of the low-stress vibration cropping machine, 89
Carbon nanofiber
Effects of microwave assisted heating of carbon nanofiber reinforced high density polyethylene, 324
Carbon nanotubes
Welding method for fabricating carbon nanotube probe, 397
Synthesis of manganese oxide/carbon nanotube nanocomposites using wet chemical method, 402
Central composite design
Prediction of hardness for sintered HSS components using response surface method, 123
CeO_2
Hydrothermal synthesis of CeO_2 nano-particles, 217
Ceramic
Microwave hybrid fast sintering of porcelain bodies, 223
Ceramic coatings
Oxidation behavior of ceramic coatings on Ti–6Al–4V by micro-plasma oxidation, 117
Ceramic material
Nano-aluminum-phosphate via a polymerized organic–inorganic complex route, 393
Ceramics
Effect of Cu^{2+} on the magnetic properties and reducibility of Fe_2TiO_5, 153
Chamfered main cutting edge
Prediction of the cutting temperatures of stainless steel with chamfered main cutting edge tools, 332
Cladding
Optimization of weld bead geometry for stainless steel claddings deposited by FCAW, 291
Coating
Non-linear elastic stresses in a thin hard coating/an elastic substrate system subjected to a surface pressure distribution, 263
Coefficient of shape of welds
Optimization of weld bead geometry for stainless steel claddings deposited by FCAW, 291
Complex tool geometries
Analysis of an equivalent tool face for the cutting speed range prediction of complex grooved tools, 251
Composite metal strip
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342
Composite structure
Study on clamping method for paper honeycomb based on magnetic field and friction principle, 65

Elsevier B.V.
doi:10.1016/S0924-0136(07)00491-8

Composites
Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites, 77
Microstructural characterizations and mechanical behavior of polyurethane elastomers strengthened with milled fiberglass, 96
Effect of smart stiffening procedure on low-velocity impact response of smart structures, 142
Computer experiment
Simulation of springback variation in forming of advanced high strength steels, 189
Continuous processing lines
Buckling and wrinkling during strip conveying in processing lines, 33
Cordierite-based glass
Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites, 77
Crack closure
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
Curvature
Use of Taguchi method to study a robust design for the sectioned beams curvature during rolling, 130
Cutting force estimation
Estimation of cutting forces in micromilling through the determination of specific cutting pressures, 18
Cutting forces
Modeling of cutting forces as function of cutting parameters for face milling of satellite 6 using an artificial neural network, 199
Cutting forces and vibrations
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Cutting modelling
Analysis of an equivalent tool face for the cutting speed range prediction of complex grooved tools, 251
Cutting speed range
Analysis of an equivalent tool face for the cutting speed range prediction of complex grooved tools, 251

Deep-penetration welding
A comparative study of the residual deformation of an automotive gear-case assembly due to deep-penetration high-energy welding, 109
Design of experiment
Simulation of springback variation in forming of advanced high strength steels, 189
Die design
Investigations in the compaction and sintering of large ceramic parts, 243
Die design and experiments for shaped extrusion under cold and hot condition, 375
Die steel
Abrasive particle wear behaviors of several die steels with non-smooth surfaces, 211
Dielectric analysis
Effects of microwave assisted heating of carbon nanofiber reinforced high density polyethylene, 324
Diffusion bonding
The interface morphology of diffusion bonded dissimilar stainless steel and medium carbon steel couples, 138
Dry turning
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Duplex stainless steel
The interface morphology of diffusion bonded dissimilar stainless steel and medium carbon steel couples, 138
Dynamic characteristics
Study on the dynamic characteristics of the low-stress vibration cropping machine, 89
Dynamic mechanical analysis
Effects of microwave assisted heating of carbon nanofiber reinforced high density polyethylene, 324

EDM pulse condition
Influences of pulsed power condition on the machining properties in micro EDM, 73
EDMed surfaces
A comparative study of surface integrity of Ti–6Al–4V alloy machined by EDM and AECG, 173
Elastic modulus
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
Electron-beam melting
Influence of heating and solidification conditions on the structure and surface quality of electron-beam melted Ti–6Al–4V ingots, 387
Embossing
Agile manufacturing of a micro-embossed case by a two-step electromagnetic forming process, 41
Extrusion
A feature based analysis of tube extrusion, 363
Die design and experiments for shaped extrusion under cold and hot condition, 375
Finite volume simulation and mould optimization of aluminum profile extrusion, 382

Face milling
Modeling of cutting forces as function of cutting parameters for face milling of satellite 6 using an artificial neural network, 199
Fatigue crack propagation
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
FEA
Effect of normal anisotropy on springback, 300
Feature
A feature based analysis of tube extrusion, 363
FeCr coating
Wear behaviour of thermal flame sprayed FeCr coatings on plain carbon steel substrate, 204
FEM
Thermal stress analysis of HVOF sprayed WC–Co/NiAl multilayer coatings on stainless steel substrate using finite element methods, 26
A comparative study of the residual deformation of an automotive gear-case assembly due to deep-penetration high-energy welding, 109
Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF), 282
Prediction of the cutting temperatures of stainless steel with chamfered main cutting edge tools, 332
Ferrite
Effect of Cu^{2+} on the magnetic properties and reducibility of Fe_2TiO_5, 153
Finite element analysis
Study on the dynamic characteristics of the low-stress vibration cropping machine, 89
Simulation of springback variation in forming of advanced high strength steels, 189
Finite element method
Buckling and wrinkling during strip conveying in processing lines, 33
Non-linear elastic stresses in a thin hard coating/an elastic substrate system subjected to a surface pressure distribution, 263
Die design and experiments for shaped extrusion under cold and hot condition, 375
Finite element simulation
Analysis of an equivalent tool face for the cutting speed range prediction of complex grooved tools, 251
Finite volume method
Finite volume simulation and mould optimization of aluminum profile extrusion, 382

Flanging
Agile manufacturing of a micro-embossed case by a two-step electro-magnetic forming process, 41
Flexural strength
Rapid fabrication of C/C/SiC composite by PIP of HMDS, 358
Fracture mechanism
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
Friction clamping
Study on clamping method for paper honeycomb based on magnetic field and friction principle, 65
Friction coefficient
Wear behaviour of thermal flame sprayed FeCr coatings on plain carbon steel substrate, 204
Friction modelling
Analysis of an equivalent tool face for the cutting speed range prediction of complex grooved tools, 251

Genetic algorithm
Finite volume simulation and mould optimization of aluminum profile extrusion, 382
Geometrical non-linearity
Non-linear elastic stresses in a thin hard coating/an elastic substrate system subjected to a surface pressure distribution, 263
Graphite carbon
Surfactant-assisted de-agglomeration of graphite nanoparticles by wet ball mixing, 61

High strength steels
Effect of normal anisotropy on springback, 300
High temperature oxidation
Oxidation behavior of ceramic coatings on Ti–6Al–4V by micro-plasma oxidation, 117
High V-Cr-Ni cast iron
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
High-energy beam
A comparative study of the residual deformation of an automotive gear-case assembly due to deep-penetration high-energy welding, 109
HMDS
Rapid fabrication of C/C/SiC composite by PIP of HMDS, 358
Honeycomb
Study on clamping method for paper honeycomb based on magnetic field and friction principle, 65
HVOF
Thermal stress analysis of HVOF sprayed WC–Co/NiAl multilayer coatings on stainless steel substrate using finite element methods, 26
Hydroforming
On process parameter estimation for the tube hydroforming process, 1
Hydrothermal synthesis
Hydrothermal synthesis of CeO_2 nano-particles, 217

Impact
Effect of smart stiffening procedure on low-velocity impact response of smart structures, 142
Incident angle effect
Effects of laser beam energy and incident angle on the pulse laser welding of stainless steel thin sheet, 102
Ingot macrostructure
Influence of heating and solidification conditions on the structure and surface quality of electron-beam melted Ti–6Al–4V ingots, 387
Interface morphology
The interface morphology of diffusion bonded dissimilar stainless steel and medium carbon steel couples, 138
Interlayer
Investigation on reactive diffusion bonding of SiCp/6063 MMC by using mixed powders as interlayers, 312
Iron titanate
Effect of Cu^{2+} on the magnetic properties and reducibility of Fe_2TiO_5, 153

Laminated metal strip
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342
Laser processing
Abrasive particle wear behaviors of several die steels with non-smooth surfaces, 211
Lightweight materials
Determination of optimal loading profiles in warm hydroforming of lightweight materials, 230
Loading profile
Determination of optimal loading profiles in warm hydroforming of lightweight materials, 230
Local rules
A local approach to simulating bar forming in pass rolling, 23
Lubrication
Investigations in the compaction and sintering of large ceramic parts, 243

Machinability models
Predictive machinability models for a selected hard material in turning operations, 305
MAFF
Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF), 282
Magnetic abrasive flexible brush (MAFB)
Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF), 282
Magnetic field
Study on clamping method for paper honeycomb based on magnetic field and friction principle, 65
Magnetic properties
Effect of Cu^{2+} on the magnetic properties and reducibility of Fe_2TiO_5, 153
Manganese oxide
Synthesis of manganese oxide/carbon nanotube nanocomposites using wet chemical method, 402
Material removal
Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF), 282
Material removal rate
Influences of pulsed power condition on the machining properties in micro EDM, 73
Mathematical model
A local approach to simulating bar forming in pass rolling, 23
Mechanical properties
Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites, 77
Microstructural characterizations and mechanical behavior of polyurethane elastomers strengthened with milled fiberglass, 96
Medium carbon steel
The interface morphology of diffusion bonded dissimilar stainless steel and medium carbon steel couples, 138
Metal forming
Agile manufacturing of a micro-embossed case by a two-step electro-magnetic forming process, 41
Metal sheet
Buckling and wrinkling during strip conveying in processing lines, 33
Micro EDM
Influences of pulsed power condition on the machining properties in micro EDM, 73
Micromilling
Estimation of cutting forces in micromilling through the determination of specific cutting pressures, 18
Micro-plasma oxidation
Oxidation behavior of ceramic coatings on Ti–6Al–4V by micro-plasma oxidation, 117

Microstructure
Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites, 77
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
Microwaves
Microwave hybrid fast sintering of porcelain bodies, 223
Effects of microwave assisted heating of carbon nanofiber reinforced high density polyethylene, 324
Milled fiberglass
Microstructural characterizations and mechanical behavior of polyurethane elastomers strengthened with milled fiberglass, 96
Mixed oxide ceramic tool
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Modeling
Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF), 282
Modelling
Modeling of a substrate thermomechanical behavior during plasma spraying, 317
Mortars admixtures
Effects of potable water filtration sludge on the rheological behaviour of one-coat plastering mortars, 12

Nanocomposites
Powder processing and densification behaviour of alumina–high zirconia nanocomposites using chloride precursors, 350
Synthesis of manganese oxide/carbon nanotube nanocomposites using wet chemical method, 402
Nano-particles
Hydrothermal synthesis of CeO_2 nano-particles, 217
Nano-powder
Nano-aluminum-phosphate via a polymerized organic–inorganic complex route, 393
Neural networks
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Predictive machinability models for a selected hard material in turning operations, 305
NiAl
Thermal stress analysis of HVOF sprayed WC–Co/NiAl multilayer coatings on stainless steel substrate using finite element methods, 26
Non-smooth
Abrasive particle wear behaviors of several die steels with non-smooth surfaces, 211
Normal anisotropy
Effect of normal anisotropy on springback, 300

Optimization
On process parameter estimation for the tube hydroforming process, 1
Optimization of weld bead geometry for stainless steel claddings deposited by FCAW, 291
Orthographic experiment
Finite volume simulation and mould optimization of aluminum profile extrusion, 382

Peclet number
Determination of optimal loading profiles in warm hydroforming of lightweight materials, 230
Phase difference
An ultrasonic elliptical vibration cutting device for micro V-groove machining: Kinematical analysis and micro V-groove machining characteristics, 181
Piezoelectric actuator
An ultrasonic elliptical vibration cutting device for micro V-groove machining: Kinematical analysis and micro V-groove machining characteristics, 181
PIP
Rapid fabrication of C/C/SiC composite by PIP of HMDS, 358
Plasma spraying
Modeling of a substrate thermomechanical behavior during plasma spraying, 317
Polyurethane elastomers
Microstructural characterizations and mechanical behavior of polyurethane elastomers strengthened with milled fiberglass, 96
Porcelain
Microwave hybrid fast sintering of porcelain bodies, 223
Post-buckling
Buckling and wrinkling during strip conveying in processing lines, 33
Potable water filtration sludge
Effects of potable water filtration sludge on the rheological behaviour of one-coat plastering mortars, 12
Powder blasting
Process repeatability in abrasive jet micro-machining, 51
Powder mixing
Process repeatability in abrasive jet micro-machining, 51
Powder processing
Nano-aluminum-phosphate via a polymerized organic–inorganic complex route, 393
Probe
Welding method for fabricating carbon nanotube probe, 397
Processing
Microwave hybrid fast sintering of porcelain bodies, 223
Powder processing and densification behaviour of alumina–high zirconia nanocomposites using chloride precursors, 350
Pulse laser weld
Effects of laser beam energy and incident angle on the pulse laser welding of stainless steel thin sheet, 102

Rare earth oxide
Hydrothermal synthesis of CeO_2 nano-particles, 217
Reactive diffusion bonding
Investigation on reactive diffusion bonding of SiCp/6063 MMC by using mixed powders as interlayers, 312
Reducibility
Effect of Cu^{2+} on the magnetic properties and reducibility of Fe_2TiO_5, 153
Regression analysis
Optimization of weld bead geometry for stainless steel claddings deposited by FCAW, 291
Repeatability
Process repeatability in abrasive jet micro-machining, 51
Residual distortion
A comparative study of the residual deformation of an automotive gear-case assembly due to deep-penetration high-energy welding, 109
Resolution
Welding method for fabricating carbon nanotube probe, 397
Response surface
Prediction of hardness for sintered HSS components using response surface method, 123
Response surface methodology
Optimization of weld bead geometry for stainless steel claddings deposited by FCAW, 291
Predictive machinability models for a selected hard material in turning operations, 305
Rheology
Effects of potable water filtration sludge on the rheological behaviour of one-coat plastering mortars, 12
Robust design
Use of Taguchi method to study a robust design for the sectioned beams curvature during rolling, 130
Rolling
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342

Sectioned porous beams
Use of Taguchi method to study a robust design for the sectioned beams curvature during rolling, 130
Shape memory alloy (SMA)
Effect of smart stiffening procedure on low-velocity impact response of smart structures, 142
Shorten
Welding method for fabricating carbon nanotube probe, 397
SiCp/Al MMCs
Investigation on reactive diffusion bonding of SiCp/6063 MMC by using mixed powders as interlayers, 312
Silane coupling agents
Microstructural characterizations and mechanical behavior of polyurethane elastomers strengthened with milled fiberglass, 96
Single crystal diamond cutting tool
An ultrasonic elliptical vibration cutting device for micro V-groove machining: Kinematical analysis and micro V-groove machining characteristics, 181
Sintered components
Prediction of hardness for sintered HSS components using response surface method, 123
Sintering
Microwave hybrid fast sintering of porcelain bodies, 223
Investigations in the compaction and sintering of large ceramic parts, 243
Sleeve bearing strip
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342
Smart structure
Effect of smart stiffening procedure on low-velocity impact response of smart structures, 142
Solidification
Influence of heating and solidification conditions on the structure and surface quality of electron-beam melted Ti–6Al–4V ingots, 387
Specific cutting pressure
Estimation of cutting forces in micromilling through the determination of specific cutting pressures, 18
Spheroidization
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
Spray atomization
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342
Spray deposition
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342
Springback
Effect of normal anisotropy on springback, 300
Springback variation
Simulation of springback variation in forming of advanced high strength steels, 189
Stainless steel
Optimization of weld bead geometry for stainless steel claddings deposited by FCAW, 291
Prediction of the cutting temperatures of stainless steel with chamfered main cutting edge tools, 332
Steel backed Al–Sn strip
Rolling behaviour of steel backed spray deposited Al–Sn strip, 342
Stellite 6
Modeling of cutting forces as function of cutting parameters for face milling of satellite 6 using an artificial neural network, 199
Stiffness
Effect of smart stiffening procedure on low-velocity impact response of smart structures, 142
Surface finish
Simulation for the prediction of surface roughness in magnetic abrasive flow finishing (MAFF), 282
Surface profile
A local approach to simulating bar forming in pass rolling, 23
Surface roughness
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Surfactant
Surfactant-assisted de-agglomeration of graphite nanoparticles by wet ball mixing, 61

Taguchi method
Use of Taguchi method to study a robust design for the sectioned beams curvature during rolling, 130
Temperature of stainless steel
Prediction of the cutting temperatures of stainless steel with chamfered main cutting edge tools, 332
Tensile
Effects of microwave assisted heating of carbon nanofiber reinforced high density polyethylene, 324
F-Test
Prediction of hardness for sintered HSS components using response surface method, 123
t-Test
Prediction of hardness for sintered HSS components using response surface method, 123
Thermal conductivity
Influence of AlN addition on thermal and mechanical properties of cordierite-based glass/ceramic composites, 77
Thermal flame spray
Wear behaviour of thermal flame sprayed FeCr coatings on plain carbon steel substrate, 204
Thermal stress
Thermal stress analysis of HVOF sprayed WC–Co/NiAl multilayer coatings on stainless steel substrate using finite element methods, 26
Thermomechanical behavior
Modeling of a substrate thermomechanical behavior during plasma spraying, 317
Ti6Al4V
A comparative study of surface integrity of Ti–6Al–4V alloy machined by EDM and AECG, 173
Titanium alloy
Oxidation behavior of ceramic coatings on Ti–6Al–4V by micro-plasma oxidation, 117
Tool wear
A comparison of dry and air-cooled turning of grey cast iron with mixed oxide ceramic tool, 160
Tool wear rate
Influences of pulsed power condition on the machining properties in micro EDM, 73

Ultrasonic elliptical vibration cutting (UEVC)
An ultrasonic elliptical vibration cutting device for micro V-groove machining: Kinematical analysis and micro V-groove machining characteristics, 181
Uniaxial die compaction
Investigations in the compaction and sintering of large ceramic parts, 243
Upper bound technique
A feature based analysis of tube extrusion, 363
Die design and experiments for shaped extrusion under cold and hot condition, 375

Vanadium carbide
Roles of microstructure and carbides in fatigue crack propagation in high V-Cr-Ni cast irons, 81
Variation simulation
Simulation of springback variation in forming of advanced high strength steels, 189
Vibration cropping machine
Study on the dynamic characteristics of the low-stress vibration cropping machine, 89

Warm sheet hydroforming
Determination of optimal loading profiles in warm hydroforming of lightweight materials, 230
WC–Co
Thermal stress analysis of HVOF sprayed WC–Co/NiAl multilayer coatings on stainless steel substrate using finite element methods, 26
Wear
Wear behaviour of thermal flame sprayed FeCr coatings on plain carbon steel substrate, 204
Wear behavior
Abrasive particle wear behaviors of several die steels with non-smooth surfaces, 211
Weld
Welding method for fabricating carbon nanotube probe, 397
Weld spot size
Effects of laser beam energy and incident angle on the pulse laser welding of stainless steel thin sheet, 102
Wet chemical method
Synthesis of manganese oxide/carbon nanotube nanocomposites using wet chemical method, 402
Workability
Effects of potable water filtration sludge on the rheological behaviour of one-coat plastering mortars, 12
Wrinkling
Buckling and wrinkling during strip conveying in processing lines, 33